

CHARACTERISTICS

Finish: Natural Utilization groups: 4 - For high traffic Boxes / Pallet: 40 Rectified sides Kg / Box: 22 Style: Concretes Kg / Pallet: 900 Degree of detonation: V3 (Medium) Material: Glazed porcelain tiles Pieces / Box: 3 M2 / Box: 1.08 M2 / Pallet: 43.2



Installation Installation: Coating



Installation Installation: Pavement



Critical angle of slip in wet areas when walking barefoot (DIN 51097 -Ramp)

Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp):

Glazed Porcelain

Glazed Porcelain

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.

Abaco Grafito

PRICE / M2 (VAT INCLUDED)

Roca

REF: FWM7A60101





mm

Destonified



Critical angle of slip (DIN 51130 -Ramp)

Critical sliding angle (DIN 51130 - Ramp): R-10



Slip resistance (CTE ENV 12633 -Pendulum) Slip resistance (CTE ENV 12633 -

Pendulum): Clase 1



Recycling Recycled:

Abaco

Total cement. Innovative, versatile and extremely functional, Abaco is a collection that takes the nuances of cement to their highest level, improving them with the durability of porcelain tiles. Conceived both as floor and wall tile, this range combines formats, colours and finishes for outdoors and indoors, highlighting its worn effect filled with microtextures in endless interiors. From the Natural finish, closer to crafted cement, or the In&Out finish, provides a soft and highly antislip surface, ideal for indoors and outdoors. Available in a wide colour range of neutral hues, it also features decorative lines with reliefs of geometrical effects.



#technology_text

Glazed Porcelain

Glazed Porcelain

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.