



### **Avalon Blanco**

PRICE / M2 (VAT INCLUDED)

#### CHARACTERISTICS

Finish: Natural

Utilization groups: 4 - For high traffic

Boxes / Pallet: 42 Rectified sides Kg / Box: 30 Style: Stones Kg / Pallet: 1270

Degree of detonation: V3 (Medium)

Material: Glazed porcelain tiles

Pieces / Box: 1 M2 / Box: 1.440 M2 / Pallet: 60.480







**Installation**Installation: Pavement



Critical angle of slip in wet areas when walking barefoot (DIN 51097 -Ramp)

Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp):

# **Glazed Porcelain**

### Glazed Porcelain

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.

REF: F100B40011











mm

Destonified

Critical angle of slip (DIN 51130 - Ramp)

Critical sliding angle (DIN 51130 - Ramp): R-10

Slip resistance (CTE ENV 12633 -Pendulum) Slip resistance (CTE ENV 12633 -

Pendulum): Clase 2



Recycling Recycled:



REF: F100B40011



#technology\_text

# **Glazed Porcelain**

# **Glazed Porcelain**

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.