

BASEL

Basel Caliza

PRICE / M2 (VAT INCLUDED)



CHARACTERISTICS

Finish: Natural

Utilization groups: 4 - For high traffic

Boxes / Pallet: 40

Rectified sides

Kg / Box: 22

Style: Stones

Kg / Pallet: 900

Degree of detonation: V3 (Medium)

Material: Glazed porcelain tiles

Pieces / Box: 3

M2 / Box: 1.080

M2 / Pallet: 43.200



Installation

Installation: Coating



Installation

Installation: Pavement



Critical angle of slip in wet areas  
when walking barefoot (DIN 51097 -  
Ramp)

Critical angle of slip in wet areas when  
walking barefoot (DIN 51097 - Ramp):

Glazed Porcelain

Glazed Porcelain

Suitable for all types of floor and wall  
applications, interior, exterior, facades as  
well as bathrooms and kitchens.



mm



Destonified



**Critical angle of slip (DIN 51130 - Ramp)**

Critical sliding angle (DIN 51130 - Ramp): R-10



**Slip resistance (CTE ENV 12633 - Pendulum)**

Slip resistance (CTE ENV 12633 - Pendulum): Clase 1



**Recycling**

Recycled:

## Basel

Improved nature. Nature is perfect but there are those who dream of improving it. Basel replicates the soft touch of volcanic rock polished by water and its texture under the light in a porcelain proposal for floor and wall tiles with an outstanding performance. The object of desire of those who seek perfection and take care of every detail, this collection goes beyond the fragile porosity of natural stone without losing the authenticity of the ensemble.



#technology\_text

## Glazed Porcelain

## Glazed Porcelain

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.