

Couvet Arena

PRICE / M2 (VAT INCLUDED)

CHARACTERISTICS

Finish: Natural Utilization groups: 4 - For high traffic Boxes / Pallet: 36 Rectified sides Kg / Box: 33 Style: Stones Kg / Pallet: 1230 Degree of detonation: V3 (Medium) Material: Glazed porcelain tiles Pieces / Box: 2 M2 / Box: 1.62 M2 / Pallet: 58.32



Installation

Installation: Pavement

Installation Installation: Coating



Critical angle of slip in wet areas when walking barefoot (DIN 51097 -Ramp)

Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp):

Glazed Porcelain

Glazed Porcelain

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.

Roca

REF: FN97ANF371



mm








Destonified

Critical angle of slip (DIN 51130 -Ramp)



Slip resistance (CTE ENV 12633 -Pendulum)

Slip resistance (CTE ENV 12633 -Pendulum): Clase 1



Recycling Recycled:

#technology_text

Glazed Porcelain

Glazed Porcelain

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.