



DOWNTOWN

Downtown Gris

PRICE / M2 (VAT INCLUDED)

CHARACTERISTICS

Finish: Natural

Utilization groups: 4 - For high traffic

Boxes / Pallet: 40 Rectified sides Kg / Box: 22 Style: Concretes Kg / Pallet: 880

Degree of detonation: V3 (Medium)

Material: Glazed porcelain tiles

Pieces / Box: 6
M2 / Box: 1.08
M2 / Pallet: 43.2



InstallationInstallation: Coating



InstallationInstallation: Pavement



Critical angle of slip in wet areas when walking barefoot (DIN 51097 -Ramp)

Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp):

Glazed Porcelain

Glazed Porcelain

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.

REF: FJT0A57021











mm

Destonified

Critical angle of slip (DIN 51130 - Ramp)

Critical sliding angle (DIN 51130 - Ramp): R-9

Slip resistance (CTE ENV 12633 -Pendulum) Slip resistance (CTE ENV 12633 -

Pendulum): Clase 1



Recycling Recycled:



Downtown

Cements that create spaces with a clean and rigorous look, that enriches environments with aesthetic austerity and provide a kaleidoscope of technical functions. Downtown, available in the 60x60 and 30x60 format, together with its complementary pieces.



REF: FJT0A57021



#technology_text

Glazed Porcelain

Glazed Porcelain

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.