

DOWNTOWN**Downtown Gris**PRICE / M² (VAT INCLUDED)**CHARACTERISTICS****Finish:** Natural**Utilization groups:** 4 - For high traffic**Boxes / Pallet:** 40**Rectified sides****Kg / Box:** 22**Style:** Concretes**Kg / Pallet:** 880**Degree of detonation:** V3 (Medium)**Material:** Glazed porcelain tiles**Pieces / Box:** 6**M2 / Box:** 1.08**M2 / Pallet:** 43.2**Glazed Porcelain****Installation**

Installation: Coating

Installation

Installation: Pavement

Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp)

Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp):

Glazed Porcelain

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.



mm

Destonified

**Critical angle of slip (DIN 51130 - Ramp)**Critical sliding angle (DIN 51130 - Ramp):
R-9**Slip resistance (CTE ENV 12633 - Pendulum)**

Slip resistance (CTE ENV 12633 - Pendulum): Clase 1

**Recycling**

Recycled:

Downtown

Cements that create spaces with a clean and rigorous look, that enriches environments with aesthetic austerity and provide a kaleidoscope of technical functions. Downtown, available in the 60x60 and 30x60 format, together with its complementary pieces.



#technology_text

Glazed Porcelain**Glazed Porcelain**

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.