

DOWNTOWN

Downtown Blanco

PRICE / M2 (VAT INCLUDED)



CHARACTERISTICS

Finish: Natural

Utilization groups: 4 - For high traffic

Boxes / Pallet: 40

Rectified sides

Kg / Box: 22

Style: Concretes

Kg / Pallet: 880

Degree of detonation: V3 (Medium)

Material: Glazed porcelain tiles

Pieces / Box: 6

M2 / Box: 1.08

M2 / Pallet: 43.2



Installation

Installation: Coating



Installation

Installation: Pavement



**Critical angle of slip in wet areas
when walking barefoot (DIN 51097 -
Ramp)**

Critical angle of slip in wet areas when
walking barefoot (DIN 51097 - Ramp):

Glazed Porcelain

Glazed Porcelain

Suitable for all types of floor and wall
applications, interior, exterior, facades as
well as bathrooms and kitchens.



mm



Destonified



Critical angle of slip (DIN 51130 - Ramp)

Critical sliding angle (DIN 51130 - Ramp): R-9



Slip resistance (CTE ENV 12633 - Pendulum)

Slip resistance (CTE ENV 12633 - Pendulum): Clase 1



Recycling

Recycled:

Downtown

Cements that create spaces with a clean and rigorous look, that enriches environments with aesthetic austerity and provide a kaleidoscope of technical functions. Downtown, available in the 60x60 and 30x60 format, together with its complementary pieces.



#technology_text

Glazed Porcelain**Glazed Porcelain**

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.