

DUNA

Duna Grafito

PRICE / M2 (VAT INCLUDED)



CHARACTERISTICS

Finish: Natural

Utilization groups: 4 - For high traffic

Boxes / Pallet: 40

Rectified sides

Kg / Box: 22

Style: Concretes

Kg / Pallet: 880

Degree of detonation: V3 (Medium)

Material: Glazed porcelain tiles

Pieces / Box: 6

M2 / Box: 1.08

M2 / Pallet: 43.2



Installation

Installation: Coating



Installation

Installation: Pavement

Glazed Porcelain



mm

Glazed Porcelain

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.



Destonified



Critical angle of slip (DIN 51130 - Ramp)

Critical sliding angle (DIN 51130 - Ramp): R-10



Slip resistance (CTE ENV 12633 - Pendulum)

Slip resistance (CTE ENV 12633 - Pendulum): Clase 1



Recycling

Recycled:

Duna

The Duna collection reflects the strength of serenity. Its beautiful finish provides a feeling of spaciousness to the ensemble, offering visually large, warm and elegant surfaces.



#technology_text

Glazed Porcelain**Glazed Porcelain**

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.