

DUNA

## Duna Greige C3

PRICE / M2 (VAT INCLUDED)

## CHARACTERISTICS

Finish: Natural

Utilization groups: 4 - For high traffic

Boxes / Pallet: 40

Rectified sides

Kg / Box: 22

Style: Concretes

Kg / Pallet: 900

Degree of detonation: V3 (Medium)

Material: Glazed porcelain tiles

Pieces / Box: 3

M2 / Box: 1.08

M2 / Pallet: 43.2



## Glazed Porcelain



## Installation

Installation: Pavement


## Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp)

Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp):

## Glazed Porcelain

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.

mm



## Destonified

## Critical angle of slip (DIN 51130 - Ramp)

Critical sliding angle (DIN 51130 - Ramp): R-11

## Slip resistance (CTE ENV 12633 - Pendulum)

Slip resistance (CTE ENV 12633 - Pendulum): Class 3

## Recycling

Recycled:

## Duna

The Duna collection reflects the strength of serenity. Its beautiful finish provides a feeling of spaciousness to the ensemble, offering visually large, warm and elegant surfaces.



#technology\_text

**Glazed Porcelain****Glazed Porcelain**

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.