



DUNA

Duna Perla C3PRICE / M² (VAT INCLUDED)**CHARACTERISTICS****Finish:** Natural**Utilization groups:** 4 - For high traffic**Boxes / Pallet:** 40**Rectified sides****Kg / Box:** 22**Style:** Concretes**Kg / Pallet:** 900**Degree of detonation:** V3 (Medium)**Material:** Glazed porcelain tiles**Pieces / Box:** 3**M2 / Box:** 1.08**M2 / Pallet:** 43.2**Glazed Porcelain****Installation**

Installation: Pavement


Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp)

Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp):

Glazed Porcelain

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.

mm

**Destonified****Critical angle of slip (DIN 51130 - Ramp)**

Critical sliding angle (DIN 51130 - Ramp): R-11

Slip resistance (CTE ENV 12633 - Pendulum)

Slip resistance (CTE ENV 12633 - Pendulum): Class 3

Recycling

Recycled:

Duna

The Duna collection reflects the strength of serenity. Its beautiful finish provides a feeling of spaciousness to the ensemble, offering visually large, warm and elegant surfaces.



#technology_text

Glazed Porcelain

Glazed Porcelain

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.