



DUNA

Duna GreigePRICE / M² (VAT INCLUDED)**CHARACTERISTICS****Finish:** Natural**Utilization groups:** 4 - For high traffic**Boxes / Pallet:** 50**Rectified sides****Kg / Box:** 20**Style:** Concretes**Kg / Pallet:** 1040**Degree of detonation:** V3 (Medium)**Material:** Glazed porcelain tiles**Pieces / Box:** 2**M² / Box:** 1.44**M² / Pallet:** 72**Glazed Porcelain****Installation**

Installation: Coating

Installation

Installation: Pavement

Glazed Porcelain

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.

mm

**Destonified****Critical angle of slip (DIN 51130 - Ramp)**

Critical sliding angle (DIN 51130 - Ramp): R-10

Slip resistance (CTE ENV 12633 - Pendulum)

Slip resistance (CTE ENV 12633 - Pendulum): Clase 1

Recycling

Recycled:

Duna

The Duna collection reflects the strength of serenity. Its beautiful finish provides a feeling of spaciousness to the ensemble, offering visually large, warm and elegant surfaces.



#technology_text

Glazed Porcelain

Glazed Porcelain

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.