



ABACO

Abaco Arena

PRICE / M2 (VAT INCLUDED)

CHARACTERISTICS

Finish: Natural

Boxes / Pallet: 40

Rectified sides

Kg / Box: 22

Style: Concretes

Kg / Pallet: 900

Degree of detonation: V3 (Medium)

Material: glazed_porcelain

Pieces / Box: 3

M2 / Box: 1.08

M2 / Pallet: 43.2



Installation

Installation: Coating



Installation

Installation: Pavement



Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp)

Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp):

Glazed Porcelain

Glazed Porcelain

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.



mm



Destonified



Critical angle of slip (DIN 51130 - Ramp)

Critical sliding angle (DIN 51130 - Ramp): R-10



Slip resistance (CTE ENV 12633 - Pendulum)

Slip resistance (CTE ENV 12633 - Pendulum): Clase 1

Abaco

Total cement. Innovative, versatile and extremely functional, Abaco is a collection that takes the nuances of cement to their highest level, improving them with the durability of porcelain tiles. Conceived both as floor and wall tile, this range combines formats and colours, highlighting its worn effect filled with microtextures in endless interiors. Available in a wide colour range of neutral hues, it also features decorative lines with reliefs of geometrical effects.



#technology_text

Glazed Porcelain

Glazed Porcelain

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.