

INDIANA

Indiana Roble ABS C3

PRICE / M2 (VAT INCLUDED)



CHARACTERISTICS

- Finish: Natural
- Boxes / Pallet: 48
- Rectified sides
- Kg / Box: 24
- Style: Woods
- Kg / Pallet: 1152
- Degree of detonation: V3 (Medium)
- Pieces / Box: 5
- M2 / Box: 1.2
- M2 / Pallet: 57.6



Installation
Installation: Pavement




Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp)
Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp):

Glazed Porcelain

Glazed Porcelain
Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.



mm



Destonified



Critical angle of slip (DIN 51130 - Ramp)
Critical sliding angle (DIN 51130 - Ramp): R-11



Slip resistance (CTE ENV 12633 - Pendulum)
Slip resistance (CTE ENV 12633 - Pendulum): Class 3

Indiana

The utmost beauty and sophistication of wood is passed on to porcelain formats unique in their distinctness and rich colouring. Each Indiana slat joins essential shades in a commitment to a natural finish that reproduces the knots and cracks of original wood, its texture and deep-veined, pronounced chestnut-tones. Its painstaking manufacture feels present in the make-up of its natural satin surface that captures light, just like barely treated wood, rich with the shiny and matte details typical to an organic surface. Indiana competes with real wood in vision and touch and beats it in character.



#technology_text

Glazed Porcelain**Glazed Porcelain**

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.