




BETON

Beton Ivory

PRICE / M2 (VAT INCLUDED)

CHARACTERISTICS

Finish: Natural

Boxes / Pallet: 48

Rectified sides

Kg / Box: 27

Style: Concretes

Kg / Pallet: 1272

Degree of detonation: V3 (Medium)

Pieces / Box: 4

M2 / Box: 1.44

M2 / Pallet: 69.12



Installation

Installation: Pavement



Installation

Installation: Coating



Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp)

Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp):



Critical angle of slip (DIN 51130 - Ramp)

Critical sliding angle (DIN 51130 - Ramp): R-10

Glazed Porcelain

Glazed Porcelain

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.



Slip resistance (CTE ENV 12633 - Pendulum)

Slip resistance (CTE ENV 12633 - Pendulum): Clase 2



mm



Destonified

Beton

Beton speaks the quiet language of craftsmanship. Its cement-like surface preserves the subtle irregularities, tonal variations and fluid markings characteristic of a material shaped by hand. Beton's softly weathered finish and colour transitions create a serene, warm material full of depth. Ivory and Gris form a balanced, luminous palette that enhances the collection's natural expression. This visual identity extends to white-body wall tiles and porcelain floor tiles in a variety of formats and C2 and C3 finishes, adapted to spaces with different technical requirements.



#technology_text

Glazed Porcelain**Glazed Porcelain**

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.