


CAMPORA

Campora Ivory

PRICE / M2 (VAT INCLUDED)



CHARACTERISTICS

Finish: Natural

Boxes / Pallet: 35

Rectified sides

Kg / Box: 31

Kg / Pallet: 1070

Degree of detonation: V3 (Medium)

Material: glazed_porcelain

Pieces / Box: 2

M2 / Box: 1.44

M2 / Pallet: 50.4



Installation

Installation: Coating



Installation

Installation: Pavement



Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp)

Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp):

Glazed Porcelain

Glazed Porcelain

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.



mm



Destonified



Critical angle of slip (DIN 51130 - Ramp)

Critical sliding angle (DIN 51130 - Ramp): R-10



Slip resistance (CTE ENV 12633 - Pendulum)

Slip resistance (CTE ENV 12633 - Pendulum): Clase 2

Campora

Its name evokes an open landscape, where stone rests, is exposed and matures in the open air. As in nature, each piece takes shape in its own way, with veins, fossil details and subtle tonal variations, creating unique surfaces that range from warm whites to mineral greys. Roca translates this interpretation into porcelain stoneware with an aged, almost hammered finish, combining visual relief with the sensation of time-worn material. Natural, compact and highly versatile, it is designed to work effortlessly across different spaces and compositions. Each design functions as a different fragment of the same landscape. There is no obvious repetition, but rather a succession of subtle variations that allows the overall composition to breathe with authenticity. Campora dresses spaces with a sense of calm, but never neutrality. It is a luminous, understated stone with character, capable of leaving a lasting impression.



#technology_text

Glazed Porcelain**Glazed Porcelain**

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.