



DOWNTOWN

Downtown Gris 60X60R

PRICE / M2 (VAT INCLUDED)

CHARACTERISTICS

Finish: Natural

Utilization groups: 4 - For high traffic

Boxes / Pallet: 24

Rectified sides

Kg / Box: 41.69

Kg / Pallet: 1000.6

Degree of detonation: V3 (Medium)

Material: Full body porcelain tiles

Pieces / Box: 7

M2 / Box: 2.52

M2 / Pallet: 60.48



Installation

Installation: Coating



Installation

Installation: Pavement



Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp)

Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp):

White Body

Colored Porcelain

Highly resistant tiles for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.



Critical angle of slip (DIN 51130 - Ramp)

Critical sliding angle (DIN 51130 - Ramp): R-9



Slip resistance (CTE ENV 12633 - Pendulum)

Slip resistance (CTE ENV 12633 - Pendulum): Class 1



mm



Destonified



Recycling

Recycled:

Downtown

With Downtown, large surfaces are transformed places of gathering, exchange and interaction. Cements that create spaces with a clean and rigorous look, that enriches environments with aesthetic austerity and provide a kaleidoscope of technical functions. A wide range of formats, surfaces (natural, lapato and non-slip R11), and mosaics make the Downtown series even richer. Downtown, available in the 60x60 and 30x60 format, together with its complementary pieces.



MANUALS AND RESOURCES



[Product technical certificate](#)

#technology_text

White Body

Colored Porcelain

Highly resistant tiles for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.