



PURE

### Pure Black

PRICE / M2 (VAT INCLUDED)

#### CHARACTERISTICS

Finish: Satin
Rectified sides

Degree of detonation: V1



### Installation

Installation: Coating



Destonified



### Installation

Installation: Pavement



# Critical angle of slip (DIN 51130 - Ramp)

Critical sliding angle (DIN 51130 - Ramp): R-9

## **White Body**



### **Colored Porcelain**

Highly resistant tiles for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.



## Slip resistance (CTE ENV 12633 - Pendulum)

Slip resistance (CTE ENV 12633 -Pendulum): Clase 1



### Recycling

Recycled:



## Pure

Pure, the purity of colour. Single colours are trendy. Pure takes delight in an array of 4 colours, ranging from the purest white to grey and the noblest black.

Created for practical minds, Pure appears as the technical colour solution to cover façades, public spaces and interiors full of design. This range is available in 4 colours: white, black, grey and taupe, and 3 formats: 60x120 R cm, 60x60 R cm and 30x60 R cm.



### MANUALS AND RESOURCES



Product technical certificate

REF: FGYR02I161



#technology\_text

## **White Body**

## **Colored Porcelain**

Highly resistant tiles for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.