



MOMENTUM

Momentum Deko Arena

PRICE / M2 (VAT INCLUDED)

CHARACTERISTICS

Finish:

Boxes / Pallet: 36

Rectified sides

Kg / Box: 30.52

Kg / Pallet: 1098.86

Degree of detonation: V3 (Medium)

Pieces / Box: 2

M2 / Box: 1.28

M2 / Pallet: 46.08



Installation

Installation: Coating



Installation

Installation: Pavement



Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp)

Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp):

Glazed Porcelain

Glazed Porcelain

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.



mm



Destonified



Critical angle of slip (DIN 51130 - Ramp)

Critical sliding angle (DIN 51130 - Ramp): R-10



Slip resistance (CTE ENV 12633 - Pendulum)

Slip resistance (CTE ENV 12633 - Pendulum): Clase 1



Recycling

Recycled:

Momentum

By merging two opposites, fabric and cement, we create the texture of a floor tile that aims to blend into its surroundings in a landscape of interrupted weaves. Porcelain is the main character in this collection that proposes two ranges of cool and warm colours: Sand and Taupe, on one side, and Grey and Graphite, on the other side. Inspired by wildlife and nature, the great novelty is provided by the range Momentum Deko, which includes tiles decorated with birds that resemble English wallpaper. Range available in 80x80 R cm., 61.5x61.5 cm. and 31x61 cm.



MANUALS AND RESOURCES



[Product technical certificate](#)

#technology_text

Glazed Porcelain

Glazed Porcelain

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.