



COUVET

Couvet Perla

PRICE / M2 (VAT INCLUDED)

CHARACTERISTICS

Finish: Natural

Boxes / Pallet: 42

Rectified sides

Kg / Box: 27.8

Kg / Pallet: 1167.43

Degree of detonation: V3 (Medium)

Pieces / Box: 2

M2 / Box: 1.28

M2 / Pallet: 53.76



Installation

Installation: Coating



Installation

Installation: Pavement



Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp)

Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp):

Glazed Porcelain

Glazed Porcelain

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.



mm



Critical angle of slip (DIN 51130 - Ramp)

Critical sliding angle (DIN 51130 - Ramp): R-10



Slip resistance (CTE ENV 12633 - Pendulum)

Slip resistance (CTE ENV 12633 - Pendulum): Clase 1



Recycling

Recycled:

Couvet

Couvet blends essential tones and silky surfaces. Balanced and timeless, it evokes the colours and textures of nature in sandy tones. Its reliefs distinguish it from other smooth porcelain tiles by its sophisticated touch that suggests granite and natural stone to the touch. The Deko variant, which can be used both on the floor and on the wall, incorporates subtle plant motifs that blend in perfectly with the rest of the range and allow for elegant combinations of textures. On the wall, it is elegant to the touch and light to the eye, in the search for a sensory balance.



MANUALS AND RESOURCES



[Product technical certificate](#)

#technology_text

Glazed Porcelain**Glazed Porcelain**

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.