

#### CHARACTERISTICS

Finish: Natural Utilization groups: 4 - For high traffic Boxes / Pallet: 48 Rectified sides **Kg / Box**: 26 Kg / Pallet: 1246 Degree of detonation: V3 (Medium) Material: Glazed porcelain tiles Pieces / Box: 7 M2 / Box: 1.26 M2 / Pallet: 60.48



Installation Installation: Pavement



Critical angle of slip (DIN 51130 -Ramp) Critical sliding angle (DIN 51130 - Ramp): R-9



Critical angle of slip in wet areas when walking barefoot (DIN 51097 -Ramp) Critical angle of slip in wet areas when

walking barefoot (DIN 51097 - Ramp):



Slip resistance (CTE ENV 12633 -Pendulum) Slip resistance (CTE ENV 12633 -Pendulum): Clase 1

Terre Blanco 60X60R

PRICE / M2 (VAT INCLUDED)

TERRE

# **Glazed Porcelain**

Glazed Porcelain Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.



Recycling Recycled:



mm

# Тегге

Return to the origins. Baked clay, stone and painted cement reunite in a porcelain proposal inspired by the warmest European lifestyle. Terre looks back to the tradition of life on the streets, the sun and the joie de vivre to provide a range of floor and wall tiles that represent a return home, to our origins. A range filled with nuances of the past and strokes of modernity for those who enjoy creating spaces that make their loved ones happier. In a nod to pottery tradition, watercolour paintings and handcrafted nuances, the collection is available in a wide range of colours 🛛 Blanco, Beige, Gris and Grafito 🕅 with diverse decorated solutions. Therefore, along with the option of a jungle-style plant composition.



#### MANUALS AND RESOURCES

Product technical certificate

#technology\_text

### **Glazed** Porcelain

## **Glazed Porcelain**

Suitable for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.