

**BASEL**

**Basel Grafito 30X60R**

PRICE / M2 (VAT INCLUDED)



**CHARACTERISTICS**

Finish: Natural  
 Utilization groups: 4 - For high traffic  
 Boxes / Pallet: 48  
 Rectified sides  
 Kg / Box: 29.3  
 Kg / Pallet: 1406.4  
 Degree of detonation: V3 (Medium)  
 Material: Full body porcelain tiles  
 Pieces / Box: 10  
 M2 / Box: 1.8  
 M2 / Pallet: 86.4



**Installation**  
 Installation: Coating



**Installation**  
 Installation: Pavement



**Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp)**  
 Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp):

**White Body**

**Colored Porcelain**  
 Highly resistant tiles for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.



mm



**Critical angle of slip (DIN 51130 - Ramp)**  
 Critical sliding angle (DIN 51130 - Ramp): R-10



**Slip resistance (CTE ENV 12633 - Pendulum)**  
 Slip resistance (CTE ENV 12633 - Pendulum): Clase 1



**Recycling**  
 Recycled:

## Basel

Improved nature. Nature is perfect but there are those who dream of improving it. Basel replicates the soft touch of volcanic rock polished by water and its texture under the light in a porcelain proposal for floor and wall tiles with an outstanding performance. The object of desire of those who seek perfection and take care of every detail, this collection goes beyond the fragile porosity of natural stone without losing the authenticity of the ensemble.



### MANUALS AND RESOURCES



[Product technical certificate](#)

#technology\_text

## White Body

## Colored Porcelain

Highly resistant tiles for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.