


ABACO

Abaco Oxido

PRICE / M2 (VAT INCLUDED)



CHARACTERISTICS

Finish: Natural

Boxes / Pallet: 32

Rectified sides

Kg / Box: 30.39

Kg / Pallet: 972.54

Degree of detonation: V3 (Medium)

Pieces / Box: 2

M2 / Box: 1.44

M2 / Pallet: 46.08



Installation

Installation: Pavement



**Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp)**

Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp):

White Body



mm

Colored Porcelain

Highly resistant tiles for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.



**Critical angle of slip (DIN 51130 - Ramp)**

Critical sliding angle (DIN 51130 - Ramp): R-10



**Slip resistance (CTE ENV 12633 - Pendulum)**

Slip resistance (CTE ENV 12633 - Pendulum): Clase 1



Recycling

Recycled:

## Abaco

Total cement. Innovative, versatile and extremely functional, Ábaco is a collection that takes the nuances of cement to their highest level, improving them with the durability of porcelain tiles. Conceived both as floor and wall tile, this range combines formats, colours and finishes for outdoors and indoors, highlighting its worn effect filled with microtextures in endless interiors. From the Natural finish, closer to crafted cement, to the resistant satin finish of Lapado, a third option, the In&Out finish, provides a soft and highly antislip surface, ideal for indoors, outdoors and facades. Available in a wide colour range of neutral and rusty hues, it also features decorative lines with reliefs and organic or geometrical effects.



### MANUALS AND RESOURCES



[Product technical certificate](#)

#technology\_text

## White Body

## Colored Porcelain

Highly resistant tiles for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.