

BOSCO

Bosco Roble ABS



PRICE / M2 (VAT INCLUDED)

CHARACTERISTICS

Finish: Natural

Boxes / Pallet: 54

Rectified sides

Kg / Box: 19.65

Kg / Pallet: 1060.99

Degree of detonation: V3 (Medium)

Pieces / Box: 4

M2 / Box: 0.94

M2 / Pallet: 50.76



Installation

Installation: Pavement



Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp)

Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp):

White Body



Colored Porcelain

Highly resistant tiles for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.

mm



Critical angle of slip (DIN 51130 - Ramp)

Critical sliding angle (DIN 51130 - Ramp): R-11



Slip resistance (CTE ENV 12633 - Pendulum)

Slip resistance (CTE ENV 12633 - Pendulum): Class 3



Recycling

Recycled:

Bosco

Unpredictable character. A technical prodigy that defies the senses, Bosco is able to capture the essence of the freshly cut wooden slats—their knots, tones and unique irregularities—in a porcelain proposal for floor tiles in which, as in nature, it is not possible to find a pattern. Tailored to those captivating souls that do not look like anyone, this collection replicates the unpredictable natural wood in three hues—Roble, Visón and Gris—full of colour ranges and nuances. The collection also features a decorated option, Suite Bosco, which provides the effect of small wooden planks.



MANUALS AND RESOURCES



[Product technical certificate](#)

#technology_text

White Body

Colored Porcelain

Highly resistant tiles for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.