

INDIANA

Indiana Nocce 19.5X120R

PRICE / M2 (VAT INCLUDED)



CHARACTERISTICS

Finish: Natural

Utilization groups: 4 - For high traffic

Boxes / Pallet: 45

Rectified sides

Kg / Box: 31.43

Place of application: Bathroom|Kitchen|Living|Public spaces

Kg / Pallet: 1414.44

Degree of detonation: V3 (Medium)

Material: Full body porcelain tiles

Pieces / Box: 8

M2 / Box: 1.87

M2 / Pallet: 84.15



Installation

Installation: Coating



Installation

Installation: Pavement



Critical angle of slip in wet areas  
when walking barefoot (DIN 51097 -  
Ramp)

Critical angle of slip in wet areas when  
walking barefoot (DIN 51097 - Ramp):

White Body

Colored Porcelain

Highly resistant tiles for all types of floor  
and wall applications, interior, exterior,  
facades as well as bathrooms and  
kitchens.



mm



Critical angle of slip (DIN 51130 -  
Ramp)

Critical sliding angle (DIN 51130 - Ramp):  
R-10



Slip resistance (CTE ENV 12633 -  
Pendulum)

Slip resistance (CTE ENV 12633 -  
Pendulum): Clase 1



Recycling

Recycled:

## Indiana

Character The utmost beauty and sophistication of wood is passed on to porcelain formats unique in their distinctness and rich colouring. Each Indiana slat joins essential shades in a commitment to a natural finish that reproduces the knots and cracks of original wood, its texture and deep-veined, pronounced chestnut-tones. Its painstaking manufacture feels present in the make-up of its natural satin surface that captures light, just like barely treated wood, rich with the shiny and matte details typical to an organic surface. Indiana competes with real wood in vision and touch and beats it in character.



### MANUALS AND RESOURCES



[Product technical certificate](#)

#technology\_text

## White Body

## Colored Porcelain

Highly resistant tiles for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.