FRAKÉ

Fraké Natural 19.5X12OR



PRICE / M2 (VAT INCLUDED)

CHARACTERISTICS

Finish: Natural Utilization groups: 4 - For high traffic Boxes / Pallet: 45 Rectified sides Kg / Box: 31.43 Place of application: Bathroom|Kitchen|Living|Public spaces Kg / Pallet: 1414.44 Degree of detonation: V3 (Medium) Material: Full body porcelain tiles Pieces / Box: 8 M2 / Box: 1.87 M2 / Pallet: 84.15



Installation Installation: Coating



mm



Installation Installation: Pavement



Critical angle of slip (DIN 51130 -Ramp) Critical sliding angle (DIN 51130 - Ramp): R-10



Critical angle of slip in wet areas when walking barefoot (DIN 51097 -Ramp)

Critical angle of slip in wet areas when walking barefoot (DIN 51097 - Ramp):



Slip resistance (CTE ENV 12633 -Pendulum) Slip resistance (CTE ENV 12633 -Pendulum): Clase 1

White Body

Colored Porcelain

Highly resistant tiles for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.



Recycling Recycled:

Fraké

Japandi Fraké fuses Scandinavian minimalism with the spirit of Japan in a simple and authentic, clean and elemental design, born to generate beautiful atmospheres. A soothing wood due to its colour range, that is evocative in originality and its distinct finish, with deep, contrasting veins that add great visual richness. Its seemingly smooth texture reveals a subtle, pearly powder effect thanks to the combination of multitudes of matte and bright points, giving it a natural treatedwood shine. This effect is accentuated by the incorporation of meticulously sculpted micro-reliefs in sync with the colour nuances of each slat. The lighttoned, deep veins running from light yellows and golden browns through the pieces give the accent of colour to this exclusive, balanced and elegant collection.



MANUALS AND RESOURCES



Product technical certificate

#technology_text

White Body

Colored Porcelain

Highly resistant tiles for all types of floor and wall applications, interior, exterior, facades as well as bathrooms and kitchens.